NOV 1 0 2005 W

Sheet 1 of 6

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Form PTO-1449 (Modified) (Use several sheets if necessary)

COMPLETE IF KNOWN		
Application Number	10/633,423	
Confirmation Number	3705	
Filed	July 31, 2003	
First Named Inventor	Masaya Tohyama	
Group Art Unit	1614	
Examiner Name	Daniel E. Kolker	
Attorney Docket No.	59150-8023.US00	

U.S. PATENT DOCUMENTS Date of Publication or U.S. Patent or Application Pages, Columns, Lines, Filing Date Where Relevant Name of Patentee or Inventor Cite Kind Code Examiner of Cited of Cited Document Figures Appear Initials NUMBER (if known) No. FOREIGN PATENT DOCUMENTS Date of Publication or Foreign Patent or Application Pages, Columns, Lines, Filing Date Where Relevant Name of Patentee or Applicant Examiner Cite Kind Code of Cited Т Figures Appear of Cited Document Initial No. Office NUMBER (if known) OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, senal, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city Examiner Cite Т and/or country where published. Initials No. Buck, C.R. et al., "Developmentally regulated expression of thje nerve growth factor receptor gene 1 in the periphery and brain," Proc. Natl. Acad. Sci. USA, 84:3060-3063 (1987). Davies, A.M., "Neurotrophins: Neurotrophic modulation of neurite growth," Curr. Biol., 10:R198-R200 2 (2000).Ernfors, P. et al., "Developmental and regional expression of beta-nerve growth factor receptor 3 mRNA in the chick and rat", Neuron., 1:983-996 (1988). Ernfors P. et al., "Expression of nerve growth receptor mRNA is developmentally regulated and 4 increased after axotomy in rat spinal cord motoneurons," Neuron, 2:1605-1613 (1989). Fainzilber, M. et al., "CRNF, a molluscan neurotrophic factor that interacts with the p75 neurotrophin 5 receptor," Science., 274:1540-1543 29 (1996). Kimpinski, K. et al., "The anti-P75 antibody, MC192, and brain-derived neurotrophic factor inhibit nerve growth factor-dependent neurite growth from adult sensory neurons," Neuoscience, 93(1):253-6 Kohn, J. et al., "Functionally antagonistic interactions between the TrkA and p75 neurotrophin receptors regulate sympathetic neuron growth and target innervation," J. Neuroscience, 19(13):5393-7 5408 (1999). Large, T.H. et al., "Structure and developmental expression of the nerve growth factor receptor in 8 the chicken central nervous system," Neuron, 2:1123-1134 (1989). Lee, Kuo-Fen et al., "Targeted mutation of the gene encoding the low affinity NGF receptor p75 9 leads to deficits in the peripheral sensory nervous system," Cell, 69:737-749 (1992).

Yamil E. M	3/17/6b
*EXAMINER: Initial if reference considered, whether or not criteria is in confunct considered. Include copy of this form with next communic	ormance with MPEP 609. Of aw line through citation if not in conformance and ation to application(s).

Form PTO-1449 (Modified) (Use several sheets if necessary)

Sheet 2 of 6

	COMPLETE IF KNOWN
Application Number	10/633,423
Confirmation Number	3705
Filed	July 31, 2003
First Named Inventor	Masaya Tohyama
Group Art Unit	1614
Examiner Name	Daniel E. Kolker
Attorney Docket No.	59150-8023.US00

PK	10	Lehmann, M. et al., "Inactivation of Rho signaling pathway promotes CNS axon regeneration," J. Neuroscience, 19(17):7537-7547 (1999).	
1	11	McKerracher, L. <i>et al.</i> , "Identification of myelin-associated glycoprotein as a major myelin-derived inhibitor of neurite growth," <i>Neuron</i> , 13:805-811 (1994).	
	12	Mukhopadhyay, G. et al., "A novel role for myelin-associated glycoprotein as an inhibitor of axonal regeneration," <i>Neuron</i> , 13 :757-767 (1994).	
	13	Ren, Xiang-Dong et al., "Regulation of the small GTP-binding protein Rho by cell adhesion and the cytoskeleton," <i>EMBO Journal</i> , 18 (3):578-585 (1999)	
	14	Roux, P. et al., "p75 neurotrophin receptor expression is induced in apoptotic neurons after seizure", J. Neuroscience, 19(16):6887-6896 (1999).	
	15	Sheikh, K. A. et al., "Mice lacking complex gangliosides develop Wallerian degeneration and myelination defects," <i>Proc. Natl. Acad. Sci. USA</i> , 96 :7532-7537 (1999).	
	16	Tang, S. et al., "Myelin-associated glycoprotein interacts with neurons via a sialic acid binding site at ARG118 and a distinct neurite inhibition site," <i>J. Cell Biology</i> , 138 (6):1355-1366 (1997).	
	17	Tang, S. <i>et al.</i> , "Soluble myelin-associated glycoprotein (MAG) found <i>in vivo</i> inhibits axonal regeneration," <i>Molecular and Cellular Neuroscience</i> , 9:333-346 (1997).	
	18	Tuffereau, C. et al., "Low-affinity nerve-growth factor receptor (P75NTR) can serve as a receptor for rabies virus," <i>EMBO Journal</i> , 17 (24):7250-7259 (1998).	
	19	Vinson, M. et al., "Myelin-associated glycoprotein interacts with ganglioside GT1b," J. Biological Chemistry, 276(23):20280-20285 (2001).	
	20	Von Bartheld, C. et al., "Expression of nerve growth factor (NGF) receptors in the brain and retina of chick embryos: comparison with cholinergic development," <i>J. Comparative Neurology</i> , 310 :103-129 (1991).	
	21	Walsh, G. et al., "Enhanced neurotrophin-induced axon growth in myelinated portions of the CNS in mice lacking the p75 neurotrophin receptor," J. Neuroscience, 19(10):4155-4168 (1999).	
	22	Yamashita, T. et al., "Neurotrophin binding to the p75 receptor modulates Rho activity and axonal outgrowth," Neuron, 24:585-593 (1999).	
	23	Yan, Q. and Johnson, E., "An immunohistochemical study of the nerve growth factor receptor in developing rats," <i>J. Neuroscience</i> , 8(9):3481-3498 (1988).	
	24	Yang, L. et al., "Gangliosides are neuronal ligands for myelin-associated glycoprotein," <i>Proc. Natl. Acad. Sci. USA</i> , 93 :814-818 (1996).	
	25	Yeo, T. et al., "Absence of p75 ^{NTR} causes increased basal forebrain cholinergic neuron size, choline acetyltransferase activity, and target innervation," <i>J. Neuroscience</i> , 17(20):7594-7605 (1997).	
	26	Amano, M. et al., "Formation of actin stress fibers and focal adhesions enhanced by Rho-kinase," Science, 275:1308-1311 (1997).	
	27	Amano, M. et al., "Myosin II activation promotes neurite retraction during the action of Rho and Rho-kinase," Genes to Cells, 3:177-188 (1998).	
V	28	Amano, M. et al., "The COOH terminus of Rho-kinase negatively regulates Rho-kinase activity," J. Biological Chemistry, 274(45):32418-32424 (1999).	

EXAMINER

DATE CONSIDERED

3/17/06

*EXAMINER: Initial if reference considered, whether or not criteria is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application(s).

Form PTO-1449 (Modified) (Use several sheets if necessary)

Sheet 3 of 6

	COMPLETE IF KNOWN
Application Number	10/633,423
Confirmation Number	3705
Filed	July 31, 2003
First Named Inventor	Masaya Tohyama
Group Art Unit	1614
Examiner Name	Daniel E. Kolker
Attorney Docket No.	59150-8023.US00

29	Asada, M. et al., "Apoptosis inhibitory activity of cytoplasmic p21 ^{Cip1/WAF1} in monocytic differentiation," <i>EMBO Journal</i> , 18 (5):1223-1234 (1999).
30	Cai, D. et al., "Neuronal cyclic AMP controls the developmental loss in ability of axons to regenerate," J. Neuroscience, 21(13):4731-4739 (2001).
31	Chen, J. et al., "Separate domains of p21 involved in the inhibition of Cdk kinase and PCNA," Nature, 374:386-388 (1995).
32	DeBellard, M. et al., "Myelin-associated glycoprotein inhibits axonal regeneration from a variety of neurons via interaction with a sialoglycoprotein," <i>Molecular and Cellular Neuroscience</i> , 7:89-101 (1996).
33	Decker, Stuart J., "Nerve growth factor-induced growth arrest and induction of p21 ^{Cip1/WAF1} in NIH-3T3 cells expressing TrkA," <i>J. Biol. Chem.</i> , 270 (52):30841-30844 (1995).
34	Dobashi, Y. <i>et al.</i> , "Constitutive overexpression of CDK2 inhibits neuronal differentiation of rat pheochromocytoma PC12 cells," <i>J. Biol. Chem.</i> , 270 (39):23031-23037 (1995).
35	El-Diery, W. et al., "WAF1, a potential mediator of p53 tumor suppression," Cell, 75:817-825 (1993).
36	Erhardt, J. and Pittman, R., "Ectopic p21 ^{WAF1} expression induces differentiation-specific cell cycle changes in PC12 cells characteristic of nerve growth factor treatment," <i>J. Biol. Chem.</i> , 273 (36):23517-23523 (1998).
37	Frade, J. et al., "Insulin-like growth factor-I stimulates neurogenesis in chick retina by regulating expression of the $\alpha 6$ integrin subunit," <i>Development</i> , 122 :2497-2506 (1996).
38	Frade, J. et al., "Laminin-1 selectively stimulates neuron generation from cultured retinal neuroepithelial cells," <i>Experimental Cell Research</i> , 222:140-149 (1996).
39	Frade, J. et al., "Control of early cell death by BDNF in the chick retina," <i>Development</i> , 124 :3313-3320 (1997).
40	Gervais, J. et al., "Cleavage of CDK inhibitor p21 ^{Clp1/Wal1} by caspases is an early event during DNA damage-induced apoptosis," <i>J. Biol. Chem.</i> , 273 (30):19207-19212 (1998).
41	Gollapudi, L. and Neet, K., "Different mechanisms for inhibition of cell proliferation via cell cycle proteins in PC12 cells by nerve growth factor and staurosporine", <i>J. Neuroscience Research</i> , 49 :461-474 (1997).
42	Goubin, F. and Ducommun, D., "Identification of binding domains on the p21 ^{Cip1} cyclin-dependent kinase inhibitor," <i>Oncogene</i> , 10 :2281-2287 (1995).
43	Harper, J. et al., "The p21 Cdk-interacting protein Cip1 is a potent inhibitor of G1 cyclin-dependent kinases," Cell, 75:805-816 (1993).
44	Hirose, M. et al., "Molecular dissection of the Rho-associated protein kinase (p160ROCK)-regulated neurite remodeling in neuroblastoma N1E-115 cells," J. Cell Biol., 141(7):1625-1636, (1998).
45	Jiang, H. <i>et al.</i> , "Induction of differentiation in human promyelocytic HL-60 leukemia cells activates p21, WAF1/CIP1, expression in the absence of p53," <i>Oncogene</i> 9:3397-3406 (1994).
46	Johnson, P. et al., "Recombinant myelin-associated glycoprotein confers neural adhesion and neurite outgrowth function," <i>Neuron</i> , 3 :377-385 (1989).
	30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45

EXAMINER 1 11	DATE CONSIDERED
Vanil E. M	3/17/06
*EXAMINER: Initial if reference considered, whether or not criteria is in confinot considered. Include copy of this form with next communic	ormance with MPEP 609. Draw line through citation if not in conformance and ation to application(s).

Form PTO-1449 (Modified) (Use several sheets if necessary)

Sheet 4 of 6

	COMPLETE IF KNOWN
Application Number	10/633,423
Confirmation Number	3705
Filed	July 31, 2003
First Named Inventor	Masaya Tohyama
Group Art Unit	1614
Examiner Name	Daniel E. Kolker
Attorney Docket No.	59150-8023.US00

VK	47	Kimhi, Y. et al., "Maturation of neuroblastoma cells in the presence of dimethylsulfoxide," <i>Proc. Natl. Acad. Sci. USA</i> , 73(2):462-466 (1976).
	48	Kranenburg, O. et al., "Inhibition of cyclin-dependent kinase activity triggers neuronal differentiation of mouse neuroblastoma cells," J. Cell Biol., 131(1):227-234 (1995).
	49	Kureishi, Y. <i>et al.</i> , "Rho-associated kinase directly induces smooth muscle contraction through myosin light chain phosphorylation," <i>J. Biol. Chem.</i> , 272 (19):12257-12260 (1997).
	50	Lang, I. et al., "Molecular mobility and nucleocytoplasmic flux in hepatoma cells," J. Cell Biol., 102:1183-1190 (1986).
	51	Leung, T. et al., "The p160 RhoA-binding kinase ROKa is a member of a kinase family and is involved in the reorganization of the cytoskeleton," <i>Molecular and Cellular Biology</i> , 16 (10):5313-5327 (1996).
	52	Levkau, B. et al., "Cleavate of p21 ^{Cip1/Waf1} and p27 ^{Kip1} mediates apoptosis in endothelial cells through activation of Cdk2: Role of a caspase cascade," <i>Molecular Cell</i> , 1:553-563 (1998).
	53	Lübbert, M. et al., "Expression and regulation of myeloid-specific genes in normal and leukemic myeloid cells," <i>Blood</i> , 77(5):909-924 (1991).
	54	Luo, L., "Rho GTPases in neuronal morphogenesis," Neuroscience, 1:173-180 (2000).
	55	Luo, Y. et al., "Cell-cycle inhibition by independent CDK and PCNA binding domains in p21 ^{Cip1} ," Nature, 375:159-161 (1995).
	56	Matsui, T. et al., "Rho-associated kinase, a novel serine/threonine kinase, as a putative target for the small GTP binding protein Rho," <i>EMBO Journal</i> , 15 (9):2208-2216 (1996).
	57	Neumann, H. et al., "Tumor necrosis factor inhibits neurite outgrowth and branching of hippocampal neurons by a Rho-dependent mechanism," J. Neuroscience, 22(3):854-862 (2002).
	58	Noda, A. et al., "Cloning of senescent cell-derived inhibitors of DNA synthesis using an expression screen," Experimental Cell Research, 211:90-98 (1994).
	59	Pines, J., "Cyclins and cyclin-dependent kinases: a biochemical view," <i>J. Biochem.</i> , 308:697-711 (1995).
	60	Poluha, W. et al., "The cyclin-dependent kinase inhibitor p21 WAF1 is required for survival of differentiating neuroblastoma cells," Molecular and Cellular Biology, 16(4):1335-1341 (1996).
	61	Ridley, A. and Hall A., "The small GTP-binding protein rho regulates the assembly of focal adhesions and actin stress fibers in response to growth factors," <i>Cell</i> , 70 :389-399 (1992).
	62	Rössig, L. et al., "Akt-dependent phosphorylation of p21 ^{Clp1} regulates PCNA binding and proliferation of endothelial cells," <i>Molecular and Cellular Biology</i> , 21 (16):5644-5657 (2001).
	63	Sebök, A. et al., "Different roles for RhoA during neurite initiation, elongation, and regeneration in PC12 cells," <i>J. Neurochemistry</i> , 73 (3):949-960 (1999).
	64	Sherr, C. and Roberts, J., "Inhibitors of mammalian G ₁ cyclin-dependent kinases," <i>Genes & Development</i> , 9:1149-1163 (1995).
	65	Uehata, M. et al., "Calcium sensitization of smooth muscle mediated by a Rho-associated protein kinase in hypertension," Nature, 389:990-994 (1997).

EXAMINER /	1011	DATE CONSIDERED /
Ya	mil 2. Kih	3/17/06
*EXAMINÉR:	Initial if reference considered, whether or not criteria is in	conformance with MPEP 609. Draw line through citation if not in conformance and
- 1	not considered. Include copy of this form with next comm	

Form PTO-1449 (Modified) (Use several sheets if necessary)

Sheet 5 of 6

	COMPLETE IF KNOWN	
Application Number	10/633,423	
Confirmation Number	3705	
Fited	July 31, 2003	
First Named Inventor	Masaya Tohyama	
Group Art Unit	1614	
Examiner Name	Daniel E. Kolker	
Attorney Docket No.	59150-8023.US00	

VK	66	Grunsven, L. <i>et al.</i> , "Effect of nerve growth factor on the expression of cell cycle regulatory proteins in PC12 cells: dissection of the neurotrophic response from the anti-mitogenic response," <i>Oncogene</i> , 12 :1347-1356 (1996).
	67	Waga, S. et al., "The p21 inhibitor of cyclin-dependent kinases controls DNA replication by interaction with PCNA," <i>Nature</i> , 369 :574-578 (1994).
	68	Watanabe, N. et al., "Cooperation between mDia1 and ROCK in Rho-induced actin reorganization," Nature Cell Biology, 1:136-143 (1999).
	69	Yan, G. and Ziff, E., "NGF regulates the PC12 cell cycle machinery through specific inhibition of the Cdk kinases and induction of cyclin D1," <i>J. Neuroscience</i> , 15 (9):6200-6212 (1995).
	70	Yasui, Y. et al., "Roles of Rho-associated kinase in cytokinesis; mutations in Rho-associated kinase phosphorylation sites impair cytokinetic segregation of glial filaments," <i>J. Cell Biol.</i> , 143 (5):1249-1258 (1998).
	71	Zhang, Y. et al., "Caspase-mediated cleavage of p21 ^{Wat1/Clp1} converts cancer cells from growth arrest to undergoing apoptosis," <i>Oncogene</i> , 18 :1131-1138 (1999).
	72	Zhou, B. <i>et al.</i> , "Cytoplasmic localization of p21 ^{Cip1/WAF1} by Akt-induced phosphorylation in HER-2/neu-overexpressing cells," <i>Nature Cell Biology</i> , 3:245-252 (2001).
	73	Dechant, G. and Barde, Y., "The neurotrophin receptor p75 ^{NTR} : novel functions and implications for diseases of the nervous system," <i>Nature Neuroscience</i> , 5 (11):1131-1136 (2002).
	74	Schmidt, A. and Hall, A., "Guanine nucleotide exchange factors for Rho GTPases: turning on the switch," <i>Genes & Development</i> , 15 :1587-1609 (2002).
	75	Wang, K. et al., "p75 interacts with the Nogo receptor as a co-receptor for Nogo, MAG and OMgp, Nature, 420:74-78 (2002).
	76	Wong, S. et al., "A p75 ^{NTR} and Nogo receptor complex mediates repulsive signaling by myelin-associated glycoprotein," <i>Nature Neuroscience</i> , 5(12):1302-1308 (2002).
	77	Sasaki, T. and Takai, Y., "The Rho small G protein family-Rho GDI system as a temporal and spatial determinant for cytoskeletal control," <i>Biochemical and Biophysical Research Communications</i> , 245 :641-645 (1998).
	78	Fournier, A. et al., "Identification of a receptor mediating Nogo-66 inhibition of axonal regeneration," <i>Nature</i> , 409 :341-346 (2001).
	79	Masuda, T. et al., "Molecular cloning and characterization of yeast rho GDP dissociation inhibitor," J. Biol. Chem., 269(31):19713-19718 (1994).
	80	Feinstein, D. and Larhammar, D., "Identification of a conserved protein motif in a group of growth factor receptors," <i>FEBS Lett.</i> , 272 (1)(2):7-11 (1990).
	81	Koch, G. et al., "Interaction of mastoparan with the low molecular mass GTP-binding proteins rho/rac," FEBS Lett., 291(2):336-340 (1991).
	82	Takahashi, K. et al., "Direct interaction of the Rho GDP dissociation inhibitor with Ezrin/Radixin/Moesin initiates the activation of the Rho small G protein," J. Biol. Chem., 272(37):23371-23375 (1997).

EXAMINER / /	DATE CONSIDERED /		
V = 15 (1/. l)	2/31/A7		
Janul L. All	1 7/1//00		
*EXAMINER: Initial if reference considered, whether or not criteria is in conformance with MPEP 609. Draw line through citation if not in conformance and			
not considered. Include copy of this form with next communication to application(s).			

Form PTO-1449 (Modified) (Use several sheets if necessary)

Sheet 6 of 6

COMPLETE IF KNOWN		
Application Number	10/633,423	
Confirmation Number	3705	
Filed	July 31, 2003	
First Named Inventor	Masaya Tohyama	
Group Art Unit	1614	
Examiner Name	Daniel E. Kolker	
Attorney Docket No.	59150-8023.US00	

DK.	83	Yaku, H. et al., "The Dbl Oncogene product as a GDP/GTP exchange protein for the Rho family: its properties in comparison with those of SmgGDS ¹ , Biochemical and Biophysical Research Communications, 198(2):811-817 (1994).	
İ	84	llag, L. et al., "Selection of a peptide ligand to the p75 neurotrophin receptor death domain and determination of its binding sites by NMR," <i>Biochemical and Biophysical Research Communications</i> , 255:104-109 (1999).	
	85	Schwarze, S. <i>et al.</i> , "In vivo protein transduction: delivery of a biologically active protein into the mouse," <i>Science</i> , 285 :1569-1572 (1999).	
	86	Bentley, C. and Lee, K., "p75 is important for axon growth and Schwann cell migration during development," <i>J. Neuroscience</i> , 20 (20):7706-7715 (2000).	
	87	Walsh, G. et al., "Enhanced neurotrophin-induced axon growth in myelinated portions of the CNS in mice lacking the p75 neurotrophin receptor," J. Neuroscience, 19(10):4155-4168 (1999).	
	88	Lee, K. et al., "Dependence on p75 for innervation of some sympathetic targets," Science, 263:1447-1449 (1994).	
	89	McQuillen, P. et al., "A novel role for p75NTR in subplate growth cone complexity and visual thalamocortical innervation," J. Neuroscience, 22(9):3580-3593 (2002).	
	90	Del Pozo, M. et al., "Integrins regulate GTP-Rac localized effector interactions through dissociation of Rho-GDI," Nature Cell Biology, 4:232-239 (2002).	
	91	von Schack, D. <i>et al.</i> , "Complete ablation of the neurotrophin receptor p75 ^{NTR} causes defects both in the nervous and the vascular system," <i>Nature Neuroscience</i> , 4(10):977-978 (2001).	
	92	Yamashita, T. et al., "The p75 receptor transduces the signal from myelin-associated glycoprotein to Rho," J. Cell Biology, 157(4):565-570 (2002).	
	93	Tanaka, H. et al., "Cytoplasmic p21 ^{Cip1/WAF1} regulates neurite remodeling by inhibiting Rho-kinase activity," <i>J. Cell Biology</i> , 158 (2):321-329 (2002).	
	94	In This Issue, <i>J. Cell Biology</i> , 157 (4):544 (2002).	
	95	In This Issue, <i>J. Cell Biology</i> , 158 (2):192 (2002).	
	96	Morgan, K., "Unnerved: Molecule that pumps neurons up also keep them down (Neurodegeneration)," <i>Science Now</i> (2002).	
	97	Davenport, R., "The Nerve of Youth", Science Now (2002).	

EXAMINER(//)	DATE CONSIDERED	
	2/10/61	
Janif L. Mr)////06	
*EXAMINER: Initial if reference considered, whether or not criteria is in conformance with MPEP 609. Draw line through citation if not in conformance and		
not considered. Include copy of this form with next communication to application(s).		